

AGRITUF BOLT AND FASTENER GUIDE



CULTIVATOR SWEEPS - BOLT-ON

ATSP10-716	10" Cultivator Sweep	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSP4-716	4" Cultivator Sweep	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSP7-716	7" Cultivator Sweep	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSP9-716	9" Cultivator Sweep	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSPC10-716	10" Cultivator Sweep to fit Case Shank	2x 7/16"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSPC4-716	4" Cultivator Sweep to fit Case Shank	2x 7/16"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSPC7-716	7" Cultivator Sweep to fit Case Shank	2x 7/16"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSPC9-716	9" Cultivator Sweep to fit Case Shank	2x 7/16"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW112	1 1/2" Cultivator Sweep (old style)	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW4	4" Cultivator Sweep (old style)	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW5	5" Cultivator Sweep (old style)	2x 7/16"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW6	6" Cultivator Sweep (old style)	2x 7/16"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW7	7" Cultivator Sweep (old style)	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSW9	9" Cultivator Sweep (old style)	2x 7/16"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut

CULTIVATOR SWEEPS - KNOCK-ON

ATSP7KOD	7" John Deere Knock-on Cultivator Sweep	To suit John Deere Permaloc Adaptor
ATSP7KON	7" Nichols Knock-on Cultivator Sweep	To suit Nichols Adaptor
ATSP9KOD	9" John Deere Knock-on Cultivator Sweep	To suit John Deere Permaloc Adaptor
ATSP9KON	9" Nichols Knock-on Cultivator Sweep	To suit Nichols Adaptor
ATSP10KOD	10" John Deere Knock-on Cultivator Sweep	To suit John Deere Permaloc Adaptor

TWISTED SHOVELS

ATTS4X26SL	4" x 26" LH Twisted Shovel (slash) to suit C Shank	2x 1/2"x2 1/2" UNC Grade 8 Hex Bolt + Distorted Thread Flange Nut
ATTS4X26SR	4" x 26" RH Twisted Shovel (slash) to suit C Shank	2x 1/2"x2 1/2" UNC Grade 8 Hex Bolt + Distorted Thread Flange Nut

CHISEL SWEEPS

ATCSP8-12	8" Sweep to suit Chisel Tine	2x 1/2"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
-----------	------------------------------	---

REVERSIBLE CHISEL POINTS



ATCP212X15	2½" x 15" Reversible Chisel Point to suit C Shank	2x ½"x3¼" UNC Grade 8 Hex Bolt + Distorted Thread Flange Nut
ATCP2X15	2" x 15" Reversible Chisel Point to suit C Shank	2x ½"x3¼" UNC Grade 8 Hex Bolt + Distorted Thread Flange Nut
ATRP212-716	2½" Wide Reversible Point to suit C Shank	2x ⅞"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut

DANISH POINTS

ATCT212-12	2½" Point to suit Conser Tine	1x ½"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATCT4-12	4" Point to suit Conser Tine	1x ½"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT112-38	1½" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2¾" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT112L-38	1½" Long Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2¾" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT1-38	1" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT212-38	2½" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT3-38	3" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT4-38	4" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT5-38	5" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT7-38	7" Point to suit Danish S-Tine (⅜" bolt)	1x ⅜"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT112-716	1½" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2¾" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT112L-716	1½" Long Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2¾" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT1-716	1" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT212-716	2½" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT3-716	3" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT4-716	4" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT5-716	5" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATDT7-716	7" Point to suit Danish S-Tine (⅞" bolt)	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATVF212-716	2½" Point to suit Vibro-Flex Tine	1x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATVF412-716	4½" Point to suit Vibro-Flex Tine	2x ⅞"x2½" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut

STRIP TILL POINTS

ATSTOP	Point to suit Orthman 1tRIPr Strip-Till	1x ⅝"x1" Coiled Spring Pin + 1x ⅝"x1¾" Coiled Spring Pin
ATSTGP	Point to suit Gladiator Strip-Till	1x ⅝"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut + 1x ½"x1½" Slotted Spring Pin
ATSTGP-R	Rock Friendly Point to suit Gladiator Strip-Till	1x ⅝"x2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut + 1x ½"x1½" Slotted Spring Pin

POTATO HILLER RIPPERS

ATPH10-114	10" Ripper to suit Dammer Diker Shank	1x ⅜"x2" Coiled Spring Pin
ATPH10T-114	10" Ripper with Tungsten Carbide to suit Dammer Diker Shank	1x ⅜"x2" Coiled Spring Pin
ATPH-114	2½" Wingless Ripper to suit Dammer Diker Shank	1x ⅜"x2" Coiled Spring Pin

SUPERRIP RIPPER POINTS



ATRSPU	Ripper Point to suit 3/4" Unverferth and KMC Shank	1x 1/2"x1 3/4" Coiled Spring Pin + 1x 3/8"x1 1/4" Coiled Spring Pin
ATSRL2400	Landoll 2400 Series Parabolic 7" Point	1x 1/2"x2" Coiled Spring Pin
ATZBPU	Ripper Point to suit Unverferth Zone Builder Shank	1x 1/2"x1 3/4" Coiled Spring Pin
ATSRC212-114	2 1/2" SuperRip Ripper to suit 1 1/4" Case Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRC7-112	7" SuperRip Ripper to suit 1 1/2" Case Shank	1x 1/2"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRC7-114	7" SuperRip Ripper to suit 1 1/4" Case Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRD10-114	10" SuperRip Ripper to suit 1 1/4" John Deere Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRD212-114	2 1/2" SuperRip Ripper to suit 1 1/4" John Deere Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRD5-114	5" SuperRip Ripper to suit 1 1/4" John Deere Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRD7-114	7" SuperRip Ripper to suit 1 1/4" John Deere Shank	1x 1/2"x2 1/4" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATRSPU-1	Ripper Point to suit 1" Unverferth and KMC Shank	1x 3/8"x1 1/4" Coiled Spring Pin
ATSRC8NT-34	8" No-Till Ripper to suit 3/4" Case Shank	1x Agrituf Bolt Kit

SUPERRIP AGGRESSIVE POINTS

ATSRC10A-112	10" Aggressive Style Ripper to suit 1 1/2" Case Shank	1x 1/2"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRC7A-112	7" Aggressive Style Ripper to suit 1 1/2" Case Shank	1x 1/2"x2 1/2" UNC Grade 5 Hex Bolt + Distorted Thread Flange Nut
ATSRC7A-114	7" Aggressive Style Ripper to suit 1 1/4" Case Shank	1x Agrituf Bolt Kit

SHIN GUARDS

ATSRPC	Shin to suit 1 1/4" Case Shank	2x 3/8"x2" Coiled Spring Pin
ATSRSPD	Shin to suit 1 1/4" John Deere Shank	2x 3/8"x2 1/4" Coiled Spring Pin
ATRSSU	Shin to suit 3/4" Unverferth and KMC Shank	4x 5/16"x1 1/2" Coiled Spring Pin
ATSRSL2400	Landoll 2400 Series Parabolic Shin	Interlocks with Point
ATZBSU	Zone Builder Shin – Unverferth Specific	Interlocks with Point

[f /agrituf](https://www.facebook.com/agrituf)
[@ /agrituf](https://www.instagram.com/agrituf)
[in /company/agrituf](https://www.linkedin.com/company/agrituf)
[@ /@agrituf](https://www.youtube.com/@agrituf)

AGRITUF
ONLY FARMERS ENDURE LONGER

ASK FOR AGRITUF AT YOUR LOCAL DEALER OR VISIT [AGRITUF.COM](https://www.agrituf.com)